Form	Approved	OMB No.	158-S80004

FORM	. 3	U.S. E RONMENTAL PROTECTI
ŋ		HAZARDOUS WASTE PERMIT
a l	W PA	Consolidated Permits Progra
	7/ / 1	White is former atom to an arrived sunday thankle.

ON AGENCY I. EPA I.D. NUMBER

(3	Ĭ,	0		ΡΔ		HAZ	ZARI					PERMI Permits Pro			-IC	A		8 1	T/A C
RC	RA	\perp	<u>'</u>			<u> </u>	(T)	is info					un der Se c	-		of	RC.			14 19
					SE ON		T						and the second				60	OMMENTS		
AI	PPR	Y T	ED	(yr.	., mo., &	day)	 				-,			••				UMMEN 13		
	_	23		24	<u> </u>	29														
_					ISED								12 1000							
evi:	sed \ 1.[app), N	licat lumb	ion, li er in l	f this is t tem I at	your fi	rst appli	cation	and y	ou a	Iready	kn	nly) to ind ow your fi propriate	BCility	whe 's E	the PA	r th I.D	his is the first application you are submitting for your factor. Number, or if this is a revised application, enter your	scility facili	or a y's
•••						JTY (S		uction	s for d	lefin			existing"		γ.			2.NEW FACILITY (Complete item FOR NEW FACILITY)	CILI.	TIES,
3	F	3	0	MO.	DAY	OPE	EXISTI RATION the box	I BEG	AN OF	R TH	S, PRO	TE	DE THE D	DATE UCTIO	(yr. ON	, mo COI	o., d MM	MENCED TION BEGAN	y) OP I OR I	ERA-
<u>3 </u>				APPL	ICATI		lace an	"X" be	elow a	nd c	omple	te l	tem I abo	ve)				73 74 75 76 77 78		
	7	2			HASI													2. FACILITY HAS A RCRA PERM	Т	
					CODE							_								
B. (ente desc PRC 1. /	ering eribe DCE AMG JNI	s the SS C OUN	ies. If proces PESIGI T — E F MEA	more liss (incluse N CAPA) nter the NSURE	nes are Iding it ICITY Bamour For e	needed, s design — For e nt. each am	, enter <i>capaci</i> ach coo ount er	the co ty) in de ente	the the ered	in the space of the column	e sp umi	pace provided on the August 1997 of the August 1997	ded. I he for the ca he coc	fa m / pac	prod <i>Iten</i> ity (cess of the	each process to be used at the facility. Ten lines are pross will be used that is not included in the list of codes be (III-C). the process. the list of unit measure codes below that describes the unit measure codes the unit measure	low,∣t	hen
					,		PRO- CESS	APPI	ROPR	IAT	E UNI	TS	OF `					PRO- APPROPRIATE UNI CESS MEASURE FOR PRO		
			PF	ROCES	s		CODE				APACI							ROCESS CODE DESIGN CAPACI	TY_	
C		ΓAI	- Ner	(barre	el, drum	, etc.)	501	GALL						BOTT AAT		ent:	_	T01 GALLONS PER DAY	OR	
	ANI		PILE	:			502 503	CUBIC	CYAF	RD\$	OR .	S		SUR	RFA	CE	IMI	LITERS PER DAY MPOUNDMENT T02 GALLONS PER DAY LITERS PER DAY	OR	
_				4POUR	OMEN	Τ	S04	GALL				\$		INC	INE	RA	то	OR TOS TONS PER HOUR OR METRIC TONS PER H	IOUR	;
11		CTI	ON	WELL			D79	GALL	ONS	OR.	LITER	S				. /#1		GALLONS PER HOUR		
1	ANI	3 F1	LL.				D80	ACRE would depth	cover	one	acre t	o a	***	ther	mal :ess	or es n	biol ot c	for physical, chemical, TO4 GALLONS PER DAY occurring in tanks, A RECORDS CENTER.	OR	
				CATI			D81 D82	HECT ACRE GALL	ARE-	MET	'ER Ctari	ES		surfa aton	ace s. I	imp Iesc	ribe	undments or inciner be the processes in LITY Pratt & Wh And wided; Item III.C.	My	
				POSAL	NDMEN	т		LITER	RS PE	R D	AY			me e	pu	e p	,001	I.D. No. C101906 1208	*/	
							UNIT MEAS	OF URE									ME	IEASURE WITHER ROMS # 2519	UNIT	URE
				ASUR	E		COE						EASURE R DAY					CODE UNIT OF MEASURE	COL	DE
L	TE UBI	RS C Y	ARI	 DS			!	L Y		T	ONS PI	ER	HO I	HOUR				HECTARE-METER		F B
G	AL	LO	4S P	ER DA			1	J		LI	ALLOI TERS	PE	r milion .		::	: :		E HECTARES H	•	2
X/	AMI er c	PLE an i	FO nold	R CON 400 ga	IPLETI illons. 7	NG ITI The fac	EM III (: ility also	s <i>hown</i> o has ar	<i>in line</i> 1 incin	<i>nul</i> lerat	n <i>bers .</i> or tha	X-1 t cu	m Mark up	<i>below</i> to 20): gal	A fa Ions	cili pe	lity has two storage tanks, one tank can hold 200 gallon er hour.	s and	the
+				D	U P			7/A C		\setminus	$\angle \cdot$	1			$\overline{\ }$	7	7		abla	
L Z		PR			B. PRO	CESS		14 15 3N CA	PAC	ITY		Γ,		Tα	Ľ	~~		B. PROCESS DESIGN CAPACITY		
BE	Ç	ES OC	S							2.	UNIT	0	JEL L	H	2	PR ES	S	2. UNIT		CIAL
ΣSZ	(fr	om bov	list			1. AMC	ount			S	URE enter	177	416	NON	(fr	om bove	list	t SURE (enter	ON	
	16		7	19					27		ode)	100		11Z	16				9 -	32
(-1	S	0	2			600)			1	G	L		5	Т	0	1	30,000 U		
(-2	T	0	3			20)				E			6	Т	0	3	50 E		
1	S	0	1		2	00,0	00	_			G	L		7	S	0	4	3,000 Y		
2	s	0	2			56,0	00				G			8						
3	Т	0			6	00,0	00				U			9						
4		٦	1		5	50 0					111			10						

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESSES (code "T04"). FOR EACH PROCESS ENTE:	ED HERE
INCLUDE DESIGN CAPACITY	

IV. DESCRIPTION OF HAZARDOUS WASTES

- A. EPA HAZARDOUS WASTE NUMBER Enter the four—digit number from 40 CFR, Subpert D for each listed hezardous weste you will handle hezardous wastes which are not listed in 40 CFR, Subpert D, enter the four—digit number(s) from 40 CFR, Subpert C that describes the characteristics and/or the toxic contaminants of those hezardous westes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or textic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE	CODE
POUNDSP	KILOGRAMS	K
TONS	METRIC TONS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hezardous waste: For each listed hezardous weste entered in column A select the code(s) from the list of process codes contained in Item III to indicate how the weste will be stored, treeted, and/or disposed of at the facility.

For non-listed hezardous wastes: For each characteristic or toxic contaminant entered in column A, select the code/s/ from the list of process codes contained in Item III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hezardous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER — Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B,C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
 In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste, in column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM IV (shown in line numbers X-1, X-2, X-3, and X-4 below) — A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non—listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

	1.4	A. EPA				B. ESTIMATED ANNUAL QUANTITY OF WASTE		UN		L	D. PROCESSES											
	HAZARD. WASTENO (enter code)			ξN	Ю			OF MEA- SURE (enter code)					١.	PR			ss c ter)	OE	ES			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
K-1	K	0	7	5	4	900		P		Т	0	3	1	, כ	8	0	1	1		T		
(- 2	D	0	7	0	2	400		P		T) 3	1	ם	8	0	1	1		1	1	
X-3	D	0	7	9	1	100		P		T	0	3	1	,	8	0	1			1	7-	
X-4	D	0	7	0	2						T	T	T	1	1		1	7			T	included with above

	EPA	1.0	. N	UM	BER (enter from page 1)		/ '	L		- 17		**	* F	OR OFF	TICIAL US	USE ONLY
w C	Т	D	9	9	0 6 7 2 0 8 1 7/8 6	\		W	扩					DUP)	7/A C DUP
1 2		<u></u>	75		- 13 14 15 NO E HAZABDOUS WASTE	١	لـــد	J	2				سيرا			13 14 15 23 - 26
1 <u>v. I</u>					ON OF HAZARDOUS WASTE	_	<i>conti</i> Unit	_	ed)							D. PROCESSES
W.	HA WA	A.E	٩R	D.	B. ESTIMATED ANNUAL QUANTITY OF WASTE	OF	MEA	十		<u>.</u> پارل		, p			\F¢	
Z O	(en	iter	co			(é	enter ode)			•				ESS COD nter)		2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	23	0		26	300,000	1 1	36 T	[0 :	1	=	- 28	27	29 27 -	(Rinsewater Pretreatment)
2	P	0	3	0					T	_	\prod	_				Included With Above
3	D	0	0	7	1,000,000		Т	T	· - C	0 1	Ţ	<u>г</u>				(Rinsewater Pretreatment)
4	D	0	0	0	17,400			1		2	1	ר (ר	0 1			
5	D	0	0	2					1	· -		<u>'</u>	-	' '		Included With Above Line 4
6	D	0	0	3							1	<u>'</u>	' —	' '		"
7	D	0	0	7		Ш		_	1		1	· 	·			11
8	F	0	0	7				-		1	1	' ——	· —	' '	ļ ·	"
9	F	0	0	8				_		<u>'</u>	1	<u>'</u>	· —	<u> </u>	-	" "
10	F	0	0	9		Ш		_	' 		1	<u>'</u>	·	'	, ,	11
11	F	0	1	1				_	<u>'</u>		1	· ——	•	<u> </u>	· ·	' H
12	U	1	3	3				_	<u>'</u>	· -	1	· -	· —		-	tr .
13	U	1	3	4				-		· 	1	·	_	ļ .		"
14	υ	1	8	8				_		<u>'</u>	1	· —	· -	· · ·	· ·	ff
15	υ	2	0	1		\coprod		\perp		· —	1	· —	·	ļ , ,		11
	Р	o l	2	9	600		Т		5 C	0 2	2	· —		' '		
	Р	0	3	0				-	<u>.</u>	-	1	_		+	, , , , , , , , , , , , , , , , , , ,	Included With Above Line 16
	P	0	9	8				_	· -	_	1		· '	+ + + +		11
19	Р	0	9	9				_	·	·	1	· —		' ' 		u
20	Р	1	0	6			-	_	<u>.</u>	· —	1					11
	Р	1	2	1		\prod		_		-	1					11
22	D.	0	0	0	18,000		Т		0	·) 2	<u>;</u>	· —	-			
23	F	0	0	1	3,000			1		1	1.	<u>T (</u>	0 3	1		
	F	0	0	2				-	1	1	1	_	· 	.		Included With Above Line 23
26		\vdash	4	4	· · · · · · · · · · · · · · · · · · ·	\coprod		_		· —	1	· -	-	ļ · ·		
26	U	0	7	7	<u> </u>	$ \cdot $				·			· ##		20 27 -	

Executive Vice President Manufacturing Division

EPA Form 3510-3 (6-80)

PAGE 4 OF 5

CONTINUE ON PAGE 5

November 18, 1980

EPA Form 3510-3 (6-80)


U

U

U

U ..


Cont NOT	nue E: F	d fr	om <i>oco</i> ,	pag py t	e 2. his page before completing if you	i t rue	: mo	re :	thai	n 26	s w	as te	es to	o li:	ist				Form Approved OMB No. 158-\$80004
			_		NBER (enter from page 1)	• •	7	V						F	OR	OFFI	CIA	L USE	
w (D	9	9	0 6 7 2 0 8 1 7/4 6		/		• W -	2						U P			7/A C D U P
IV.	DI	SC	RII	TI	ON OF HAZARDOUS WAST				iue	d)	\geq	e agree			vier 9		4		g page that in fight a specific to the control of t
ш	,	A.	EP Z A F	A RD.	B. ESTIMATED ANNUAL	OF	ME	A-	-										D. PROCESSES
Ž	· M	AS	TE	NO de)	QUANTITY OF WASTE	1 6	ente ente	r				1. /	PRC	oci (ei	ESS nter,	COD	ES		2. PROCESS DESCRIPTION (if a code is not entered in D(1))
一	-	1	Ŧ	1		 _	26		27	-	29	17	·	7.29 T	27	- 2	27	7 - 20	
	Į	J 1	. 6	5			Ш		L,			L			$oldsymbol{\perp}$,	Ľ		Included with Line 6 Page 3B
2	I	J 1	. 6	9									· 	1		 		· ·	11
3	1	J 1	9	6								L		· •				 	· 11
4		J 2	2 2	0					L									· ·	11
5	1	J 2	2 2	3															11
6	1	J 2	2 3	8										1		, ,			II .
7	1	J 2	2 3	9										_		, ,			
8		F () 1	. 7	10		Т		S	0	1	Т	0	' 3	3				11
9		F () 1	8						ļ l			1	7		,,		-U-U	Included With Above Line 8
10				0	200		Т		S	0	1	Т	0	3	3	1 1		7 7	
11					·								1 -	1		1 1		7 7	
12													T	1		T 1		T T	
13											•		1	Τ,		т т		7 1	
14														•		1 1		7-1	
15													1 -	Т		1		71	
16											I		T	1		T T		т ;	
17														ı		1 1			
18													T, -	7-		1		T - 1	
19													T -	1		ı			
20														7		1 1			,
21		\int								_			_	Г		1 1		7 I	
22		T			·								1	1		1 1		7 1	
23	1												Τ-	T				7 7	
24		T							1		•			T				7 7	· ·
25	T												T	1		T T	1	1 1	
26	1	T	T					\exists	П		_	T	Т	Т	\top	1 1	\top	1 1	














INDUSTRIAL WASTE INCIN .-

